

Dr. Duke's Phytochemical and Ethnobotanical Database**Biological Activities Found in Achillea moschata**

| Activity | Chemical Count |
|-----------------------------|----------------|
| (-)-Chronotropic | 2 |
| (-)-Inotropic | 2 |
| 5-Alpha-Reductase-Inhibitor | 1 |
| Allelochemic | 1 |
| Analgesic | 2 |
| Antiacetylcholine | 1 |
| Antiallergic | 1 |
| Antialopellic | 1 |
| Antiandrogenic | 1 |
| Antibacterial | 2 |
| Antibronchitic | 1 |
| Antiescherichic | 1 |
| Antifeedant | 2 |
| Antifibrinolytic | 1 |
| Antihemorrhoidal | 1 |
| Antiinflammatory | 2 |
| Antileukotriene | 1 |
| Antitotic | 1 |

| Activity | Chemical Count |
|--------------------|-----------------------|
| Antioxidant | 2 |
| Antiproctalgic | 1 |
| Antipyretic | 2 |
| Antisalmonella | 1 |
| Antiseptic | 1 |
| Antispasmodic | 3 |
| Antistaphylococcic | 1 |
| Antiviral | 1 |
| Antiyeast | 1 |
| Candidicide | 1 |
| Choleretic | 1 |
| CNS-Stimulant | 1 |
| CNS-Toxic | 1 |
| Emollient | 1 |
| Expectorant | 1 |
| FLavor | 3 |
| Fungicide | 1 |
| Hemolytic | 1 |
| Hepatoprotective | 1 |
| Herbicide | 1 |

| Activity | Chemical Count |
|----------------------|-----------------------|
| Hypercholesterolemic | 1 |
| Inhalant | 1 |
| Insect-Repellent | 1 |
| Insectifuge | 2 |
| Irritant | 1 |
| Laxative | 1 |
| Lubricant | 1 |
| Myorelaxant | 2 |
| Nematicide | 2 |
| Perfumery | 1 |
| Pesticide | 4 |
| Propecic | 1 |
| Sedative | 2 |
| Soap | 1 |
| Tranquilizer | 1 |
| Vulnerary | 1 |